References

1. Guy Webster (2002), “Clinical review on acne vulgaris”, British Medical Journal, 325: 475-479.

2. Salma AL Mashat *et al.* (2013), “Acne awareness and perception among population in Jeddah- Saudi Arabia”, Journal of the Saudi Society of Dermatology and Dermatologic Surgery, 01-03.

3. Hywel Williams *et al.* (2012), “Acne vulgaris”, Lancet, 379: 361-372.

4. Kubota Y *et al.* (2010), “Community based epidemiological study of psychosocial effects of acne in Japanese adolescents”, Journal of Dermatology, 37: 617-622.

5. Hahm BJ *et al.* (2009), “Changes of psychiatric parameters and their relationships by oral Isotretinoin in acne patients”, Journal of Dermatology, 36: 255-261.

6. Schafer T *et al.* (2001), “Epidemiology of acne in the general population: the risk of smoking”, British Journal of Dermatology, 145: 100-104.

7. Bhate K, Williams HC (2013), “Epidemiology of acne vulgaris”, British Journal of Dermatology, 168(3): 474-485.

8. Ehrmann DA (2005), “Polycystic ovary syndrome”, England Journal of Medicine, 352: 1223-1236.

9. Chen MJ *et al.* (2011), “High serum dehydroepiandrosterone sulfate is associated with phenotypic acne and a reduced risk of abdominal obesity in women with polycystic ovary syndrome”, Human Reproduction, 26: 227-234.

10. Valcyric Allanore L *et al.* (2007), “Drug-induced skin, nail and hair disorders”, Drug safety, 30: 1011-1030.

11. Melnik B *et al.* (2007), “Abuse of anabolic-androgenic steroids and bodybuilding acne: an underestimated health problem”, Journal of Dtsch Dermatology, 5: 110-117.

12. Tucker SB (1983), “Occupational tropical acne”, Cutis, 31: 79-81.

13. Spencer EH (2009), “Diet and acne: a review of the evidence”, International Journal of Dermatology, 48: 339-347.

14. Hanieh Azimi *et al.* (2012), “A review of phytotherapy of acne vulgaris: Perspective of new pharmacological treatments”, Elsevier Fitoterapia, 83: 1306-1317.

15. Jeremy AH *et al.* (2003), “Inflammatory events are involved in acne lesion initiation”, Journal of Dermatology, 121: 20-27.

16. Kurokawa I *et al.* (2009), “New developments in our understanding of acne pathogenesis and treatment”, Experimental Dermatology, 18: 821-832.

17. Zouboulis CC, Bohm M (2004), “Neuroendocrine regulation of sebocytes- a pathogenetic link between stress and acne”, Experimental Dermatology, 13: 31-35.

18. Zouboulis CC, Baron JM *et al.* (2008), “Frontiers in sebaceous gland biology and pathology”, Experimental Dermatology, 17: 542-551.

19. Alestas T, Ganceviviene R *et al.* (2006), “Enzymes involved in biodynthesis of leukotrienes B4 and prostaglandin E2 are active in sebaceous glands”, Journal of Molecular Medicine, 84: 75-87.

20. Papakonstantinou E, Aletras AJ *et al.* (2005), “Matrix metalloproteinases of epithelial origin in facial sebum of patients with acne and their regulation by Isotretinoin”, Journal of Dermatology, 125: 673-684.

21. SA Thube, MJ Patil (2013), “Anti acne effect of polyherbal gel formulation in male Spague-Dawley rats”, International Journal of Research and Ayurvedic Pharmacy, 4(3): 398-401.

22. Aguirre Jorge, De La Heliodore *et al.* (2013), “The optimization of phenolic compounds extraction from cactus pear (Opuntia ficus-indica) skin in a reflux system using response surface methodology”, Asian Pacific Journal of Tropical Biomedicine, 3(6): 436-442.

23. Meghwal M, Goswami TK (2013), “Piper nigrum and Piperine: An update”, Phytotherapeutic Research, 16(4): 39-42.

24. Gupta SC, Kismali G *et al.* (2013), “Curcumin, a component of turmeric: from farm to pharmacy”, Biofactors, 39(1): 2-13.

25. Shinkafi SA, Ndanusa H (2013), “Antibacterial activity of citrus lemon on acne vulgaris (pimples)”, International Journal of Science Inventions Today, 2(5): 397-409.

26. Kasprowicz A, Owczarek MM *et al.* (2012), “A comparison of biochemical and genetic classification of propionibacterium acnes strains isolated from skin lesions of patients with acne”, Experimental Medical Microbiology, 64(3): 203-210.

27. Felix Boon-Bin Yap (2012), “The impact of acne vulgaris on the quality of life in Sonawak, Malaysia”, Journal of the Saudi Society of Dermatology and Dermatologic Surgery, 16: 57-60.

28. Kalpesh Patel, Neel Mehta *et al.* (2012), “Development and evaluation of herbal anti-acne formulation”, Research Journal of Pharmaceutical, Biological and Chemical Sciences, 3(3): 334-339.

29. Aditi Vats, Pranav Sharma (2012), “Formulation and evaluation of topical antiacne formulation of coriander oil”, International Journal of Pharmacy and Pharmaceutical Science Research, 2(3): 61-66.

30. Manpreet Kaur, Amandeep Kaur *et al.* (2012), “Pharmacological actions of Opuntia ficus-indica: A review”, Journal of Applied Pharmaceutical Sciences, 2(7): 15-18.

31. Menichini F, Loizzo MR *et al.* (2011), “Phytochemical profile, antioxidant, antiinflammatory and hypoglycemic potential of hydroalcoholic extracts from citrus medica L. cv Diamante flowers, leaves and fruits at two maturity stages”, Food and Chemical Toxicology, 49(7): 1549-1555.

32. Whitney Veith, Nanette B *et al.* (2011), “The association of acne vulgaris with diet”, Cutis, 88:84-91.

33. Asima Banu, Eswari AL *et al.* (2011), “A prospective study to determine the effectiveness of Clindamycin (allopathic), Berberis Aquifolium (homeopathic) and Azadirachta indica (ayurvedic) medications against the microorganism causing acne vulgaris”, International Journal of Basic Medical Science, 2(2): 78-83.

34. Marc Schumacher, Claudia Cerella *et al.* (2011), “Anti-inflammatory, pro-apoptotic and anti-proliferative effects of a methanolic neem (Azadirachta indica) leaf extract

are mediated via modulation of the nuclear factor- κB pathway", Genes and Nutrition, 6: 149-160.

35. Cunliff WJ, Gould DJ (2009), "Prevalence of facial acne vulgaris in late adolescence and in adults", British Medical Journal, 1: 1109-1110.

36. Trombetta D, Puglia C *et al.* (2006), "Effects of polysaccharides from Opuntia ficus-indica cladodes on the healing of dermal wounds in the rats", Phytomedicine, 13(5): 352-358.

37. Subapriya R, Nagini S (2005), "Medicinal properties of neem leaves: a review", Current Medicinal Chemotherapy of Anticancer Agents, 5(2): 149-156.

38. Gentile C, Tesoriere L *et al.* (2004), "Antioxidant betalains from cactus pear (Opuntia ficus-indica) inhibit endothelial ICAM-1 expression", Annals of the New York Academy of Sciences, 1028: 481-486.

39. Jain A, Basal E (2003), "Inhibition of propionibacterium acnes induced mediators of inflammation by Indian herbs", Phytomedicine, 10(1): 34-38.

40. Park EH, Chun MJ (2001), "Wound healing activity of Opuntia ficus-indica", Fitoterapia, 72(2): 165-167.

41. Park EH, Kahng JH *et al.* (1998), "Studies on the pharmacological action of cactus: identification of its anti-inflammatory effect", Archives of Pharmaceutical Research, 21(1): 30-34.

42. Wolinsky LE, Mania S *et al.* (1996), "The inhibiting effect of aqueous Azadirachta indica (neem) extract upon bacterial properties influencing in vitro plaque formation", Journal of Dental Research, 75(2): 816-822.

43. Nikku Yadav, Ajitpal Singh *et al.* (2011), "Evaluation of efficacy and safety of perfact face gel and perfact face tablets in management of acne", Journal of Clinical Experimental Dermatology Research, 2(2): 01-07.